

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	10835	(search\$3 or quer\$3 ) with device with network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 14:59
S2	12754	(search\$3 or quer\$3 ) with device \$1 with network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 15:01
S3	82414	manag\$6 with (device\$1 or computer\$1 or scan\$1 or fax or printer\$1 or copier ) with network \$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:33
S4	22047	(search\$3 or quer\$3) with (device \$1 or computer\$1 or scan\$1 or fax or printer\$1 or copier ) with network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:34
S5	6136	S3 and S4	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:34
S6	50131	(compar\$3 or match\$3 or map\$4) with (device\$1 or computer\$1 or scan\$1 or fax or printer\$1 or copier ) with (id or identification or address )	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:35
S7	842	S5 and S6	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:35
S8	35404	(compar\$3 or match\$3 or map\$4) with (device\$1 ) with (id or identification or address )	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:36
S9	683	S7 and S8	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:36
S10	279	S9 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:37

S11	5983	(compar\$3 or match\$3 or map\$4) with (device\$1 ) near (id or identification or address )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:41
S12	13307	stor\$3 with (device\$1 ) near (id or identification or address )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:41
S13	64	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:41
S14	17587	manag\$6 near (device\$1 or computer\$1 or scan\$1 or fax or printer\$1 or copier ) with network \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:41
S15	27	S13 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 17:42
S16	1	"5935217".PN.	USPAT; USOCR	OR	OFF	2008/09/18 18:01
S17	1	"5933580".PN.	USPAT; USOCR	OR	OFF	2008/09/18 18:05
S18	4	("2003073297").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/09/18 18:29
S19	2788	(compar\$3 or search\$3 or quer\$3 or map\$4 or match\$3) with list\$3 with device\$1 same network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 14:55
S20	539	(discover\$3) with list\$3 with device \$1 same network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 14:56
S21	142	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 14:56
S22	2	("6021429").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:07

S23	212	(new or discover\$3) with (compar\$3 or search\$3 or quer\$3 or map\$4 or match\$3) with list\$3 with device\$1 same network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:23
S24	52857	(discover\$3 or emphasiz\$3 or highlight\$3) with device\$1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:25
S25	112	S23 and S24	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:25
S26	4862	(discover\$3 or emphasiz\$3 or highlight\$3) with new with device\$1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:26
S27	27	S25 and S26	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:26
S28	12	S27 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 21:27
S29	2909	(refine\$1 or subsequenc\$3 or new ) with (search\$3 or quer\$3) with device	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:01
S30	87	S23 and S29	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:01
S31	23	S30 and S25	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:02
S32	6	S31 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:02
S33	38691	(request\$3 with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:17

S34	1339	S33 and S24 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:19
S35	185	S33 and S24 and S26 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:19
S36	6	S35 and S23	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:20
S37	11995	((client or user) with (request\$3 or search\$3) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/18 22:25
S38	2571	(new or discover\$3) with (compare\$3 or search\$3 or query\$3 or map\$4 or match\$3) with device\$1 same network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:48
S39	11995	((client or user) with (request\$3 or search\$3) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:49
S40	353	S38 and S39	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:49
S41	3141	((client or user) near (request\$3 or search\$3) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:50
S42	166	((client or user) near (request\$3 or search\$3) with (new or discover\$3) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:50
S43	166	S41 and S42	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:50
S44	52	S42 and S40	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:50

S45	25	S44 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 07:51
S46	547	((client or user OR BROWS\$3) near (COMPAR\$3 OR MATCH\$3 OR MAP\$4) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:55
S47	4862	(discover\$3 or emphasize\$3 or highlight\$3) with new with device \$1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:56
S48	6	S47 AND S46	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:56
S49	2571	(new or discover\$3) with (compar \$3 or search\$3 or quer\$3 or map \$4 or match\$3) with device\$1 same network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:57
S50	24	S49 AND S46	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:57
S51	12	S50 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 20:57
S52	5683	((client or user OR BROWS\$3) WITH (COMPAR\$3 OR MATCH\$3 OR MAP\$4) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 21:07
S53	18784	((client or user OR BROWS\$3) WITH (COMPAR\$3 OR MATCH\$3 OR MAP\$4 OR SEARCH\$3 OR IDENTIF\$7) with device\$1 with (ip or address or protocol or location or name))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 21:07
S54	157	S53 AND S49 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 21:08
S55	25	S54 AND S47	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/19 21:08

S56	936	(discover\$3 or found\$3 ) with (new \$2 or add\$3 ) with device\$1 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:12
S57	91223	(search\$3 or quer\$3) with device \$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:14
S58	106213	(compar\$3 or determin\$3 or match \$3 or map\$3 ) with device\$1 with (id or identification or address or location or protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:15
S59	387	S56 and S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:15
S60	66353	(new\$2 with (search\$3 or quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:15
S61	109	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:16
S62	48	S61 and @ad<"20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:16
S63	47	S61 and @ad<"20030307" and (stor\$5 with device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:17
S64	4	S61 and @ad<"20030307" and (stor\$5 with list with device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:17
S65	19	S61 and @ad<"20030307" and (stor\$5 with (found or discover\$3 or add\$3 ) with device\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:19
S66	4097	(updat\$3 or chang\$3 ) with (new \$2 or add\$3 ) with device\$1 with network\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:59

S67	39	S66 and S61	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 15:59
S68	18	S67 and @ad<"20030307" and (stor\$5 with device\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 16:00
S69	19	S67 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 16:00
S70	110	(search\$3 or quer\$3) with (updat \$3 or chang\$3 ) with (new\$2 or add\$3 ) with device\$1 with network \$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:21
S71	123	(search\$3 or quer\$3) with (updat \$3 or chang\$3 ) with (new\$2 or add\$3 or discover\$3) with device \$1 with network\$3	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:22
S72	18714	(search\$3 or quer\$3) with (ip or protocol or address or location or identification or ping ) same device	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:23
S73	3	S71 and S72 and @ad<"20030307" and (stor\$5 with list with device\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:23
S74	25	S71 and S72 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 17:35
S75	41776	(compar\$3 or determin\$3 or match \$3 ) with device\$1 with (discover \$3 or add\$3 or new\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 18:48
S76	59	S71 and S75	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 18:48
S77	27	S76 and (new with (search\$3) )	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 18:49

S78	4	S67 and @ad<"20030307" and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 18:49
S79	10	@ad<"20030307" and S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 18:49
S80	449922	(compar\$3 or match\$3 ) with device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:00
S81	71	S80 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:00
S82	13845	(compar\$3 or match\$3 ) with device\$1 with (list\$3 or table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:00
S83	14	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:00
S84	3	S83 and @ad<"20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:01
S85	48	S82 and S86 and @ad<"20030307"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:01
S86	12	S85 and (new with (search\$3 )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:01
S87	25	S82 and S86 and @ad<"20030307" and printer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:04
S88	2	("6347336").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:22



S89	159	S59 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:29
S90	1253448	(state\$1 with device\$1 with network\$3 list\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:30
S91	142	S89 and S90	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:30
S92	8	(search\$3 with state\$1 with network\$3 with device\$1) and S56	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:32
S93	714	(detect\$3 wwith state\$1 with network\$3 with device\$1) and S56	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:43
S94	167	S93 and S57 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:43
S95	100	S80 and @ad<"20030307" and S94	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:45
S96	50	S95 and S72 and @ad<"20030307"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:45
S97	155921	S95 and S72 and @ad<"20030307" (state with (error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:46
S98	2	S95 and S72 and @ad<"20030307" and (state\$1 with (error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:46
S99	5	S95 and S72 and @ad<"20030307" and (status with (error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:47

S100	475	(detect\$3 with chang\$3 with (state \$1 or status) with device\$1 with network\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:53
S101	5	S100 and S56 and S57	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:53
S102	10	S100 and S56	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:54
S103	299	(detect\$3 with chang\$3 with (state \$1 ) with device\$1 with network \$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:59
S104	2	S103 and S57 and @ad<"20030307" and (status with (error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 19:59
S105	2	S103 and S57 and @ad<"20030307" and (device with (error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 20:01
S106	8	S103 and S57 and @ad<"20030307" and ((error or print\$6))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/28 20:01

10/29/2008 6:21:23 AM

C:\Documents and Settings\nguyen14\My Documents\EAST\Workspaces\10784973.wsp